

Appl. No. 10/692,557  
Amdt. Dated 8/19/2004  
Response to Office Action dated 06/07/2004

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

1. (Currently amended) A support extension to which stage equipment may be attached, the support extension comprising:  
  
a means for accepting the stage equipment  
  
a means for coupling included in the means for accepting, the means for coupling including means for fastening the means for accepting to a rail , the means for coupling being activated when the means for accepting is rotated.
2. (Original) The support extension of claim 1 wherein the means for fastening is rotationally activated.
3. (Original) The support extension of claim 1 wherein the means for accepting is constructed of one of a metal, resin or plastic.
4. (Original) The support extension of claim 1 wherein the means for accepting includes a means for receiving stage equipment.
5. (Original) The support extension of claim 1 wherein the means for accepting includes a means for receiving a safety pin from an attached stage equipment.

Appl. No. 10/692,557

Amdt. Dated 8/19/2004

Response to Office Action dated 06/07/2004

6. (Original) The support extension of claim 1 wherein the means for accepting is cylindrical and has a cross section that is one of round, square, hexagonal, triangular, pentagonal.
7. (Original) The support extension of claim 6 wherein the means for accepting includes means for receiving a wrench, a pliers or other tool to grasp the means for accepting.
8. (Original) The support extension of claim 1 wherein the means for accepting includes a means for engaging the means for fastening.
9. (Original) The support extension of claim 1 wherein the means for fastening comprises a butterfly bolt.
10. (Original) The support extension of claim 1 wherein the means for fastening comprises means for aligning the means for fastening in the rail.
11. (Original) The support extension of claim 10 wherein the means for aligning is rotationally activated.
12. (Currently amended) A support extension to which stage equipment may be attached, the support extension comprising:
  - a body to receive the stage equipment
  - a bolt coupled with the body, the bolt to be coupled to a rail by rotating the body, the bolt intruding into a cavity in the body when the body is rotated.
13. (Original) The support extension of claim 12 wherein the body is constructed of one of a metal, resin or plastic.

Appl. No. 10/692,557

Amdt. Dated 8/19/2004

Response to Office Action dated 06/07/2004

14. (Original) The support extension of claim 12 wherein the body includes a wide groove to assist in the attachment of lighting equipment and stage equipment.
15. (Currently amended) The support extension of claim 12 wherein the ~~pin~~ body includes a small hole to receive a safety pin from an attached lighting equipment or stage equipment.
16. (Original) The support extension of claim 12 wherein the body is generally cylindrical.
17. (Original) The support extension of claim 16 wherein the body includes at least two notches to allow a wrench, a pliers or other tool to grasp the body.
18. (Currently amended) The support extension of claim 12 wherein the ~~body~~ cavity includes screw threads complementary to screw threads included on a cylindrical portion of the bolt.
19. (Original) The support extension of claim 12 wherein the bolt comprises
  - a head
  - a collar
  - a cylindrical portion.
20. (Currently amended) The support extension of claim 19 wherein the collar is a shape that serves as a cam when the body is rotated.
21. (Currently amended) The support extension of claim 19 wherein the collar is a shape that serves as a cam when rotated such that the head ~~become~~ becomes perpendicular to a channel opening in the rail when ~~[[,]]~~ the body rotates.

Appl. No. 10/692,557

Amdt. Dated 8/19/2004

Response to Office Action dated 06/07/2004

22. (Currently amended) The support extension of claim 19 wherein the cylindrical portion includes screw threads complementary to screw threads included in the ~~body~~ cavity.
23. (Currently amended) A support pin to which lighting equipment and stage equipment may be attached, the support pin comprising:
- a pin body to receive one or more of lighting equipment and stage equipment
  - a t-bolt coupled with the pin body
  - the support pin to be coupled to a rail by rotating the pin body.
24. (Original) The support pin of claim 23 wherein the pin body is generally cylindrical.
25. (Original) The support pin of claim 23 wherein the pin body is constructed of one of a metal, resin or plastic.
26. (Original) The support pin of claim 23 wherein the pin body includes a wide groove to assist in the attachment of lighting equipment and stage equipment.
27. (Original) The support pin of claim 23 wherein the pin body includes a small hole to receive a safety pin from an attached lighting equipment or stage equipment.
28. (Original) The support pin of claim 23 wherein the pin body includes at least two notches to allow a wrench, a pliers or other tool to grasp the pin body.
29. (Currently amended) The support pin of claim 23 wherein the pin body comprises a cavity that includes screw threads complementary to screw threads included on a cylindrical portion of the t-bolt.

Appl. No. 10/692,557

Amdt. Dated 8/19/2004

Response to Office Action dated 06/07/2004

30. (Original) The support pin of claim 23 wherein the t-bolt comprises

a head

a collar

a cylindrical portion.

31. (Currently amended) The support pin of claim 30 wherein the collar is a shape that serves as a cam when the pin body is rotated.

32. (Currently amended) The support pin of claim 30 wherein the collar is a shape that serves as a cam when rotated such that the head ~~become~~ becomes perpendicular to a channel opening in the rail when ~~[[,]]~~ the pin body rotates.

33. (Currently amended) The support pin of claim 30 wherein the cylindrical portion includes screw threads complementary to screw threads included in ~~the pin body cavity~~ a cavity in the pin body.

34. (Currently amended) A support pin to which lighting equipment and other stage equipment may be attached, the support pin comprising:

a pin body capable of receiving one or more of lighting equipment and other stage equipment

a t-bolt to be fastened into a cavity in the pin body, the t-bolt including

a head

a collar

a cylindrical portion

Appl. No. 10/692,557

Amdt. Dated 8/19/2004

Response to Office Action dated 06/07/2004

the support pin to be attached to a rail by rotating the pin body.

35. (Currently amended) The support pin of claim 34 wherein the support pin is attachable to the rail by placing the head of the t-bolt into a channel in the rail and rotating the pin body, the rotating causing the cylindrical portion to be drawn into ~~the a-receiving~~ cavity in the pin body as the head of the t-bolt becomes flush with the underside of lips of the channel in the rail while the pin body is secured against the top of the rail.

36. (Original) The support pin of claim 35 further comprising a washer that fits onto the cylindrical portion of the t-bolt and sits between the top of the rail and the pin body when the support pin is attached to the rail, the washer to enhance the attachment of the support pin to the rail.

37. (Withdrawn) A method of supporting stage equipment comprising:

coupling a rail to a wall

placing a support extension into a channel in the rail

rotating the support extension to quickly easily secure the support extension to the rail

attaching a stage apparatus to the support pin.

38. (Withdrawn) The method of claim 37 wherein the support extension is the support extension of claim 12.

39. (Withdrawn) The method of claim 37 wherein the support extension is the support pin of claim 23.

Appl. No. 10/692,557

Amdt. Dated 8/19/2004

Response to Office Action dated 06/07/2004

40. (Withdrawn) The method of claim 37 wherein the support extension is the support pin of claim 34.